

# **Bucket capacity**

1.8m<sup>3</sup>

### **Rated load**

1800kg

# **Operation** weight

4450kg

### Wheel base

2300mm

\*We follows the principle of continuous improvement Product performance parameters will be partially changed due to technical improvements without prior notice

Anhui FUKE Heavy Industries Ltd.

web:www.sfuke.com

# **®FUKE福客®**

### **Basic Parameters**

5

Bucket capacity: 1.0m3

Rated load: 1800kg

Wheel base: 2300 mm (D)

Wheel Tread: 1830 mm

Min. ground clearance: 300mm

Max. dumping height: 2850mm

Dump distance: 880mm

Total times: 9s

Operation weight: 4450kg

Engine model: Yuchai

Rated power: 65kw

Dimension (L\*W\*H):4900\*1830\*2750 mm (A\*B\*C)

Tyre: 23.5/70-16

Strong bearing

**Driving comfort** 

Easy maintenance

Reliable structure

**Excellent efficiency** 

**Booster** 

Car air conditioner

**Protective Device** 


**GPS** positioning


On-board repair tools

**CD Player** 

Fire extinguisher

### Loader Outline






### Accessories



We follows the principle of continuous improvement Product performance parameters will be partially changed due to technical improvements without prior notice



### Type 1 Mechanical Operating System





# Type 2 Pilot Operating System



# Type 3 Advanced Operating Systems





www.sfuke.com

# **Optional Customization**



### Loader accessories



#### Grass cutter



#### Clamping machine



#### **▼** Sliding fork



#### ▼ Flat fork




#### ▼ Coal scuttle



▼ Side dump



#### ▼ Rock bucket



Breaker



**▼** Snowplow



#### ▼ Snow shovel



Quick change tooling

