



### *Basic Information*

Bucket capacity

**0.4m<sup>3</sup>**

Rated power

**45kw**

Operating load

**850kg**

Wheelbase




**991mm**

# Basic Parameters

## Technical Specification

## Outline

|                                          |         |
|------------------------------------------|---------|
| Operating load (kg)                      | 850     |
| Max Speed (km/h)                         | 6       |
| Rated flux (L/min)                       | 75      |
| Rated power (Kw)                         | 28*9-15 |
| Fuel tank capacity (L)                   | 45      |
| self weight bucket (kg)                  | 80      |
| Bucket capacity (m3)                     | 2800    |
| Overall operating height (mm)            | 0.4     |
| Height to bucket hinge pin (mm)          | 3770    |
| height to top of cab (mm)                | 2810    |
| Height to bottom of level bucket(mm)     | 1600    |
| Overall length ithout bucket (mm)        | 2643    |
| overall length with bucket(mm)           | 2800    |
| Dumping angle at maximum height(°)       | 3490    |
| Dumping height(mm)                       | 40      |
| Dumping reach(mm)                        | 2080    |
| Rollback o bucket on ground(°)           | 700     |
| Rollback of bucket at full height(°)     | 30      |
| Wheelbase(mm)                            | 104     |
| Ground clearance(mm)                     | 991     |
| Angleof departure(°)                     | 205     |
| Front turning radins without bucket(mm)  | 20      |
| Front tuning radius(mm)                  | 1228    |
| Rear tuning radius(mm)                   | 2010    |
| Rear axle to bumper (mm)                 | 1746    |
| Tread width,enterline to centerline (mm) | 1208    |
| Width (mm)                               | 1450    |



\*We follows the principle of continuous improvement Product performance parameters will be partially changed due to technical improvements without prior notice.

# FUKE Skid Loader Attachments


4 in 1 bucket



Pallet fork



Dozer blade



Snow blade



Grapple bucket



Fork grapple



Backhoe



Backhoe arm



Sweeper



Angle Broom



Breaker



Planer



Trencher



Auger



Vibratory roller




Disk type trencher



Mixer



Snow Blower



\*We follow the principle of continuous improvement Product performance parameters will be partially changed due to technical improvements without prior notice.

**FUKE**

Anhui Fuke Heavy Industry Equipment Co., Ltd.

Contact us:  
Phone/Whatsapp: +8613505697380  
Email: [fk002@fukebn.com](mailto:fk002@fukebn.com) / [fuke7380@gmail.com](mailto:fuke7380@gmail.com)